

Integrated Automatic Packaging System

Integrated Automatic JU-Packaging Systems, adapted to specific ArilSystem models, use a unique and highly accurate volume-filling and sealing process, providing best results with minimum mechanical damage to arils. Weight accuracy (subject to variation) is approximately +/- 4%.

The system includes:

Arils inlet conveyor

Sealed packages outlet conveyor

Automatic filling and sealing machine

Rate:

Up to 140 sealed packages/minute

Capacity: 70-250g/package

Operators:

Minimum 1

Space Requirement:

Minimum space requirement 15m²

Air Pressure:

Compressor capacity: 10 CFM

Pressure: 7 bar

Oil free, dry air

Electrical Supply:

3 phase, 380V, 16A


**Optional: MAP control atmosphere*

All photos and drawings are for demonstration only. JURAN has the right to change and to modify, accordingly with its experience, what included in this machine. All rights reserved to JURAN.

Juran Technologies 23 Shmotkin St. Rishon Lezion, 7536326 Israel

Tel: 972-3-9640377 Fax: 972-3-9640451

Email: marketing@juran.co.il Web: www.arilsystem.com



All photos and drawings are for demonstration only. JURAN has the right to change and to modify, accordingly with its experience, what included in this machine. All rights reserved to JURAN.

Juran Technologies 23 Shmotkin St. Rishon Lezion, 7536326 Israel

Tel: 972-3-9640377 Fax: 972-3-9640451

Email: marketing@juran.co.il Web: www.arilsystem.com